

PERFORMANCE OIL

Prolong Engine Life Wear Protection

Product Data Sheet

DESCRIPTION

ENEOS Performance Oil is a highly refined, mineral based engine oil recommended for gasoline and diesel engines. High-viscosity index and selected base oil assures an excellent cold start with outstanding lubricating film at high-temperatures. The specially chosen additive enhances performance and functions of the engine, prolonging its operational life. Together with the excellent detergent/dispersant properties, this oil ensures a clean and reliable engine for daily condition.

ADVANTAGES

✓ Exceptional Performance Engine Oil

- Blended with highly refined high-viscosity index mineral base oils and optimised additives, its high-temperature oxidation stability is superior compared to conventional engine oils made from other mineral base.

✓ Reducing Fuel Consumption

- Helps reduce the fuel consumption as well as emission levels. Due to the unique formulation, low evaporation under severe operating condition is assured.

✓ Exceptional Resistance for Wear, Corrosion, Foaming and Oxidation

- Gives optimum protection against wear, provides strong anti-corrosion and anti-foam characteristics as well as high resistance against oxidation.

PERFORMANCE LEVEL

SN/CF

APPLICABLE VEHICLES

Recommended for all range of engines in cars and light commercial vehicles with gasoline and diesel engine.

Suitable for Japanese and European automobiles.

CONTAINER SIZE

1 Litre 4 Litre 209 Litre

TYPICAL CHARACTERISTICS

SAE Grade			10W-30	1 <i>5</i> W-40	20W-50
API Performance Grade			SN/CF	SN/CF	SN/CF
ILSAC			GF-5	GF-5	-
Density (15°C) g/cm ³		ASTM D 4052	0.8686	0.8743	0.8832
Viscosity mm ² /s (40°C)	ASTM D 445	63.07	100	157.8
(100°C)	ASTM D 445	9.89	13.76	18.16
Viscosity Index		ASTM D 2270	141	139	128
Flash Point °C		ASTM D 6749	234	236	242
Pour Point °C		ASTM D 97	-39.0	-33.0	-30.0
Base Number		ASTM D 2896	5.87	5.99	6.18

Note: Typical characteristics are subject to change without notice (July, 2017)

Safety Precaution:

- Avoid prolonged and repeated skin contact with used oils
- In case of physical contact, wash immediately with soap and water
- Protect the environment by disposing off used oils as per local regulations