

DESCRIPTION

ENEOS X PRIME AT Fluid is compatible with a wide variety of AT vehicles. It is a fuel-saving ATF that combines comfortable driving and fuel saving performance. This fluid is a full synthetic automatic transmission fluid specially developed to meet Japanese OEM's required specifications (JASO M315 1A-LV). It also meets the requirements for DEXRON III, VI, Ford MERCON LV and so on. It has a very high viscosity index and allows smooth gear change even with cold start. It has also very good anti-oxidation, anti-wear and foaming characteristics, anti-corrosion properties and elastomer compatibility.

SPECIAL FEATURES

Advanced fully synthetic technology meets the highest specification standards in this premium transmission fluid, formulated for a wide range of ATs. This top-tier "Made in Japan" product achieves excellent fuel economy and provides high resistance to mechanical shear and fatigue, ensuring outstanding driving comfort. It also reduces drag resistance in the clutch and energy loss due to oil churning in the torque converter, without compromising fatigue prevention or anti-wear performance.

PERFORMANCE LEVEL

GM DEXRON VI

Ford MERCON LV

Refer to Compatibility List

CONTAINER SIZE

4L, 20L & 209L

TYPICAL PROPERTIES

| Typical Properties | | | |
|----------------------|-------------------|--------------------|--------|
| Color | | | Red |
| Density | (15°C) | g/cm ³ | 0.8472 |
| Flash Point | (COC) | °C | 214 |
| Pour Point | | °C | <-45 |
| Kinematic Viscosity | (40°C) | mm ² /s | 29.68 |
| | (100°C) | mm ² /s | 6.11 |
| Viscosity Index | | | 160 |
| Brookfield Viscosity | (-40°C) | mPa·s | 8300 |
| Acid Number | | mgKOH/g | 1.47 |
| Base Number | HClO ₄ | mgKOH/g | 2.92 |
| Foaming | Seq. I | ml/ml | 0/0 |
| | Seq. II | ml/ml | 20/0 |
| | Seq. III | ml/ml | 0/0 |



ENEOS

JAPAN'S No.1 Oil Company

www.eneos.asia

HANDLING PRECAUTION

| | |
|----------------------------------|--|
| Composition : | Base Oil(s), Additives |
| Precautionary pictograms: | Not applicable |
| Signal word: | Not applicable |
| Hazard Statement: | Not applicable |
| Precautionary Statements: | <ul style="list-style-type: none">• Do not handle until all safety precautions have been read and understood.• Wear protective gloves/protective clothing/eye protection/face protection.• Do not allow the eyes to become exposed to the product. Do not swallow the product.• Wash hands thoroughly after handling.• Do not eat, drink or smoke when using this product. |
| Prevention | |
| Response | <ul style="list-style-type: none">• IF SWALLOWED: Immediately call a POISON CENTER/doctor.• IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.• If the eyes are exposed to the product: Rinse the eyes with plenty of running water and immediately contact a physician.• IF ON SKIN: Wash with plenty of soap and water. |
| Storage | <ul style="list-style-type: none">• The product must be stored in a cool, well-ventilated location where it will not be exposed to direct sunlight.• Containers that have been opened must be tightly sealed. |
| Disposal | <ul style="list-style-type: none">• Dispose of contents/container in accordance with local/regional/national/international regulations.• If there are any doubts about proper methods of handling the product, contact the point of purchase before proceeding with usage. |



ENEOS

JAPAN'S No.1 Oil Company

www.eneos.asia

Compatibility List

| | OEM/ATF | Compatibility |
|-----------------|---|---------------|
| North American | Allison C-3 | ○ |
| | Allison C-4 | ○ |
| | Allison TES-389 | ○ |
| | Allison TES-389B | ○ |
| | Allison TES-295 | ○ |
| | Chrysler SP-III | ○ |
| | Chrysler AS68RC ATF | ○ |
| | Chrysler 05127382AA | ○ |
| | Chrysler 68043742AA | ○ |
| | Chrysler 68333587AA | ○ |
| | Chrysler 68092912AA | ○ |
| | Chrysler 68171866AA | ○ |
| | Chrysler 68218925AA | ○ |
| | Chrysler 3403-M115 | ○ |
| | Chrysler ATF+ | ○ |
| | Chrysler ATF+2 | ○ |
| | Chrysler ATF+3 | ○ |
| | Chrysler ATF+4 | ○ |
| | Ford M | ○ |
| | Ford XT-2 QDX | ○ |
| | Ford XT-6 QSP | ○ |
| | Ford XT-8 QAW | ○ |
| | Ford XT-9- QMM5 for FNR5 | ○ |
| | Ford XT-10 QLV | ○ |
| | Ford WSS-M2C-922-A1 | ○ |
| | Ford WSS-M2C-924-A | ○ |
| | Ford ATF M-V | ○ |
| | Ford MERCON | ○ |
| | Ford MERCON V | ○ |
| | Ford MERCON LV | ○ |
| | Ford MERCON SP | ○ |
| | Ford FNR5 Automatic Transmisison Fluid (ATF) | ○ |
| | Ford Premium Automoaatic Transmission Fluid (ATF) | ○ |
| | GM Dexron B | ○ |
| | GM Dexron IIC | ○ |
| | GM Dexron IID | ○ |
| | GM Dexron III | ○ |
| | GM Dexron IIIG | ○ |
| | GM Dexron IIIH | ○ |
| | GM Dexron VI | ○ |
| GM P/N 88900925 | ○ | |
| GM P/N 9985010 | ○ | |



ENEOS

JAPAN'S No.1 Oil Company

www.eneos.asia

| | | |
|---------------------------------|-----------------------------|---|
| | GM P/N 22689186 | ○ |
| | GM P/N 19256039 | ○ |
| | GM P/N 88863400 | ○ |
| | GM P/N 88863401 | ○ |
| | GM P/N 19 40 700 | ○ |
| | GM P/N 19 40 767 | ○ |
| | GM P/N 21005966 | ○ |
| | GM W16444 | ○ |
| Asian | Honda ATF Z-1 | ○ |
| | Honda ATF DW-1 | ○ |
| | Honda(Acura) Type 3.1 | ○ |
| | Acura Type 3.0,Type 3.1 | ○ |
| | Hyundai/Kia P/N 00232-19023 | ○ |
| | Hyundai/Kia SP-II | ○ |
| | Hyundai/Kia SP-III | ○ |
| | Hyundai/Kia JWS 3309 | ○ |
| | Hyundai/Kia JWS 3314 | ○ |
| | Hyundai/Kia JWS 3317 | ○ |
| | Hyundai/Kia SP-IV | ○ |
| | Hyundai/Kia SP-IV M | ○ |
| | Hyundai/Kia SP-IV M1 | ○ |
| | Hyundai/Kia SPH-IV | ○ |
| | Hyundai/Kia SP-IV RR | ○ |
| | Hyundai NWS-9638 | ○ |
| | JASO 1-A | ○ |
| | JASO 1-A-LV | ⊙ |
| | Aisin Warner JWS 3309 | ○ |
| | Aisin Warner JWS 3324 | ○ |
| | Aisin Warner AW-1 | ○ |
| | Aisin Warner AW-2 | ○ |
| | Kia Red-1 | ○ |
| | Isuzu ATF WSI | ○ |
| | Isuzu SCS | ○ |
| | P/N 08200-9001 | ○ |
| | Isuzu ATF II | ○ |
| | Isuzu ATF III | ○ |
| | Mazda T-IV / JWS3309 | ○ |
| | Mazda JWS3317 | ○ |
| | Mazda ATF A7 | ○ |
| | Mazda ATF-M III | ○ |
| | Mazda ATF-MV | ○ |
| | Mazda ATF FZ | ○ |
| Mobil 3324(Mazda Axcela Hybrid) | ○ | |
| Mitsubishi SP | ○ | |
| Mitsubishi SP-II | ○ | |
| Mitsubishi SP-III | ○ | |
| Mitsubishi ATF SK | ○ | |
| Mitsubishi ATF J2 | ○ | |



ENEOS

JAPAN'S No.1 Oil Company

www.eneos.asia

| | | |
|----------|--------------------------------|---|
| | Mitsubishi ATF-J3 | ○ |
| | Mitsubishi ATF-PA | ○ |
| | Mitsubishi SP-IV | ○ |
| | Nissan 402 | ○ |
| | Nissan Matic-D | ○ |
| | Nissan Matic-J | ○ |
| | Nissan Matic-K | ○ |
| | Nissan Matic-W | ○ |
| | Nissan Matic-S | ○ |
| | Subaru ATF | ○ |
| | Subaru ATF-HP | ○ |
| | Suzuki 3314 | ○ |
| | Suzuki Matic-D | ○ |
| | Suzuki Matic-J | ○ |
| | Suzuki Matic-S | ○ |
| | Suzuki 3317 | ○ |
| | Toyota D-II | ○ |
| | Toyota T | ○ |
| | Toyota T-II | ○ |
| | Toyota T-III | ○ |
| | Toyota T-IV | ○ |
| | Toyota WS | ○ |
| European | Audi G 052 162 | ○ |
| | Audi G 052 540 | ○ |
| | Audi G 052 990 | ○ |
| | Audi G 055 005 | ○ |
| | Audi G 055 025 | ○ |
| | Audi G 055 162 | ○ |
| | Audi G 060 162 | ○ |
| | Bentley P/N PY112995PA | ○ |
| | BMW ATF 7 | ○ |
| | BMW 7045E | ○ |
| | BMW 8072B | ○ |
| | BMW LA 2634 | ○ |
| | BMW LT 71141 | ○ |
| | BMW PIN 81 22 9 400 272/275 | ○ |
| | BMW PIN 81 22 9 407 858/859 | ○ |
| | BMW PIN 83 22 0 024 359 | ○ |
| | BMW PIN 83 22 0 026 922 | ○ |
| | BMW PIN 83 22 0 142 516 | ○ |
| | BMW PIN 83 22 0 397 114 | ○ |
| | BMW PIN 83 22 0 403 248 | ○ |
| | BMW PIN 83 22 0 403 249 | ○ |
| | BMW PIN 83 22 2 152 426 | ○ |
| | BMW PIN 83 22 2 220 438/440 | ○ |
| | BMW PIN 83 22 2 289 397(ATF3) | ○ |
| | BMW PIN 83 22 2 289 720(ATF3+) | ○ |



ENEOS

JAPAN'S No.1 Oil Company

www.eneos.asia

| | |
|----------------------------|---|
| BMW PIN 83 22 2 305 396 | ○ |
| BMW PIN 83 22 2 305 397 | ○ |
| BMW PIN 83 22 7 542 290 | ○ |
| BMW PIN 83 22 9 407 765 | ○ |
| BMW PIN 83 22 9 407 807 | ○ |
| Citroen Z000169756 | ○ |
| Jaguar WSS-M2C922-A1 | ○ |
| Jaguar JLM 20238 | ○ |
| Jaguar JLM 20292 | ○ |
| Jaguar Fluid 8432 | ○ |
| Jaguar 02JDE26444 | ○ |
| Jaguar K17 | ○ |
| Jaguar MERCON LV | ○ |
| MAN 339A | ○ |
| MAN 339D | ○ |
| MAN 339F | ○ |
| MAN 339 Type V-1 | ○ |
| MAN 339 Type Z-1 | ○ |
| MAN 339 Type Z-2 | ○ |
| MAN 339 Type Z-3 | ○ |
| Porsche P/N 000 043 205 28 | ○ |
| Porsche P/N 999 917 547 00 | ○ |
| Porsche P/N 000 043 205 09 | ○ |
| Renault Matic-D2 | ○ |
| Land Rover P/N TYK500050 | ○ |
| Land Rover Txaco ETL-7045E | ○ |
| Land Rover AW-1 | ○ |
| Land Rover JWS3309 | ○ |
| Land Rover Txaco N402 | ○ |
| Land Rover MERCON SP | ○ |
| Land Rover 83 229 407 807 | ○ |
| Land Rover DEXRON III | ○ |
| Mercedes-Benz MB 236.1 | ○ |
| Mercedes-Benz MB 236.2 | ○ |
| Mercedes-Benz MB 236.3 | ○ |
| Mercedes-Benz MB 236.5 | ○ |
| Mercedes-Benz MB 236.6 | ○ |
| Mercedes-Benz MB 236.7 | ○ |
| Mercedes-Benz MB 236.8 | ○ |
| Mercedes-Benz MB 236.9 | ○ |
| Mercedes-Benz MB 236.10 | ○ |
| Mercedes-Benz MB 236.11 | ○ |
| Mercedes-Benz MB 236.12 | ○ |
| Mercedes-Benz MB 236.14 | ○ |
| Mercedes-Benz MB 236.15 | ○ |
| Mercedes-Benz MB 236.16 | ○ |
| Mercedes-Benz MB 236.17 | ○ |



ENEOS

JAPAN'S No.1 Oil Company

www.eneos.asia

| | |
|-------------------------|---|
| Mercedes-Benz MB 236.41 | ○ |
| PSA AL-4 | ○ |
| Renault DP-0 | ○ |
| Saab P/N 93 160 393 | ○ |
| Saab 93 165 147 | ○ |
| VoithH55.6335 | ○ |
| Voith H55.6336 | ○ |
| Volvo P/N 1161521 | ○ |
| Volvo P/N 1161621 | ○ |
| Volvo P/N 1161540 | ○ |
| Volvo P/N 1161640 | ○ |
| Volvo P/N 31256774 | ○ |
| Volvo P/N 31256675 | ○ |
| Volvo 97340 | ○ |
| Volvo 97341 | ○ |
| VW G 052 162 | ○ |
| VW G 052 540 | ○ |
| VW G 052 990 | ○ |
| VW G 055 005 | ○ |
| VW G 055 025 | ○ |
| VW G 055 162 | ○ |
| VW G 055 540 | ○ |
| VW G 060 162 | ○ |
| ZF TE-ML 02F | ○ |
| ZF TE-ML 03D | ○ |
| ZF TE-ML 04D | ○ |
| ZF TE-ML 05L | ○ |
| ZF TE-ML 09 | ○ |
| ZF TE-ML 11A | ○ |
| ZF TE-ML 11B | ○ |
| ZF TE-ML 14A | ○ |
| ZF TE-ML 14B | ○ |
| ZF TE-ML 14C | ○ |
| ZF TE-ML 16L | ○ |
| ZF TE-ML 17C | ○ |
| ZF TE-ML 21L | ○ |
| ZF Lifeguard Fluid 5 | ○ |
| ZF Lifeguard Fluid 6 | ○ |
| ZF Lifeguard Fluid 6+ | ○ |
| ZF Lifeguard Fluid 8 | ○ |