

## DESCRIPTION

**ENEOS 4T Premium Series MCO** is a high-performance motor oil made with Fully Synthetic base oil and selected additives. It is recommended for high-performance 4T motorcycles that delivers high power efficiency and acceleration. ENEOS 4T Premium Series MCO exceeds the fuel economy and engine cleaning requirements. It also offers excellent engine protection and superior clutch operation in all driving conditions. ENEOS 4T Premium Series MCO is excellent in maintaining high engine power and fuel economy with longer drain interval. This oil is blended with ENEOS Corporation's outstanding lubricating technologies.

## ADVANTAGES

- ✓ Optimum lubrication and engine performance under all extreme condition.
- ✓ Increased power and improves drivability.
- ✓ Superior frictional properties to eliminate clutch slippage.
- ✓ Provides improved wear protection.
- ✓ Excellent dispersancy and detergency properties.

## Specification

SL /JASO MA2

## APPLICABLE VEHICLES

- High performance bikes (Racing), Sports Bikes, Street/Road Bikes, Trails/Off Road Bikes.
- Suitable for with or without integrated gearbox, wet or dry clutch.
- Recommended for motorbikes made by world-leading manufacturers.
- Check user's manual for the manufacturer's recommended oil viscosity grade, API & JASO service classification.

Recommended for all scooters and motorcycles with 4T engines.

\*Caution: For trouble prevention, please use proper viscosity grade oil for the motorcycles/scooters.

## CONTAINER SIZE

1 Litre Metal Can

## TYPICAL CHARACTERISTICS

SAE Grade		10W-30	10W-40	10W-50
API Performance Grade		SL	SL	SL
JASO Performance Grade		MA2	MA2	MA2
Density (15°C) g/cm <sup>3</sup>	ASTM D 4052	0.853	0.850	0.852
Viscosity mm <sup>2</sup> /s	(40°C) ASTM D 445	66.59	91.91	122.8
	(100°C) ASTM D 445	10.76	14.42	18.11
Viscosity Index	ASTM D 2270	152	163	165
Flash Point °C	ASTM D 92	236	242	242
Pour Point °C	ASTM D 6749	-42	-39	-39
Base Number	ASTM D 4684	6.2	5.64	5.60

Note: Typical characteristics are subject to change without notice (October 2024)

**Safety Precaution:**

- Avoid prolonged and repeated skin contact with used oils.
- In case of physical contact, wash immediately with soap and water.
- Protect the environment by disposing off used oils as per local regulations.